

# Legacy Housings


D4B-F-R | Standard LED

## Round Non-Insulated


### FEATURES

- Rated for non insulated ceilings to a max ambient temperature of 45°C (113°F)
- 5 junction box knock outs
- Bi-directional mounting
- 14"-25" adjustable hanger bars
- 18 Ga. galvanized steel junction box with multiple KO
- 20 Ga. black powder coated steel baseplate


### CEILING CUTOUT—TRIMMED & TRIMLESS




### CEILING CUTOUT—WOOD TRIMLESS



### DIMENSIONS—3, 5 SERIES



### DIMENSIONS—7, 9 SERIES




### CERTIFICATIONS



# Legacy Housings

D4B-F-R | Standard LED

## Round Non-Insulated



### TAG TYPE

--	--	--	--	--	--

### ORDER FORM

1	2	3	4	5	6

#### 1. HOUSING

**D4B-F-R**

#### 2. FLANGE TYPE<sup>1</sup>

**T** Trimmed

**TL** Trimless

**TLW-XX** Trimless Wood Ceiling<sup>2,3,4</sup>

#### 3. SERIES<sup>1</sup>

**3** BRO 1000 Lumens Max

**5** BRO 1800 Lumens Max

**7** BRO 2300 Lumens Max

**9** BRO 3000 Lumens Max

#### 4. DIMMING

**D** DALI (1%)

**LE** Lutron Phase (1%)<sup>5</sup>

**LH** Lutron EcoSystem (1%)

**P** 0-10V Dimming (1%)

**P1** eldoLED Dimming (1%)

**S** Phase Dimming (5%)<sup>5</sup>

#### 5. VOLTAGE

**120**

**277**

**347**<sup>6</sup>

#### 6. OPTIONS

**BP** Black Painted Interior

**RCF** Round Aperture Collar<sup>7</sup>

**WP** White Painted Interior

#### NOTES

**1** Ensure trim compatibility prior to housing order. Conditions may apply.

**2** TL & TLW-XX is not available in 9 series.

**3** TLW-XX wood trimless flange type is matched to trim finish. XX refers to trim finish code and must be specified at time of order. See trim spec sheet for color availability.

**4** TLW-XX wood trimless ceiling thickness to be specified at time of order. Requires consultation with lightheaded sales personnel.


**5** LE and S dimming is only available in 120V.

**6** 347V dimming is only available in P dimming.


**7** RCF option is not compatible with TLW-XX wood trimless ceiling.

## DIMENSIONS


### TRIMMED (3, 5 SERIES)




### TRIMMED (7, 9 SERIES)



### TRIMMED + APERTURE COLLAR (3, 5 SERIES)




### TRIMMED + APERTURE COLLAR (7, 9 SERIES)




### TRIMLESS (3, 5 SERIES)

(Consult factory for various ceiling thicknesses)




### TRIMLESS (7 SERIES)

(Consult factory for various ceiling thicknesses)



### WOOD TRIMLESS (3, 5 SERIES)



### WOOD TRIMLESS (7 SERIES)

