

Legacy Housings


D4B-FD-R | Standard LED

Round Deep Non-Insulated


FEATURES

- Rated for non insulated ceilings to a max ambient temperature of 45°C (113°F)
- 5 junction box knock outs
- Bi-directional mounting
- 14"-25" adjustable hanger bars
- 18 Ga. galvanized steel junction box with multiple KO
- 20 Ga. black powder coated steel baseplate


CEILING CUTOUT—TRIMMED & TRIMLESS




CEILING CUTOUT—WOOD TRIMLESS



DIMENSIONS—3, 5 SERIES



DIMENSIONS—7, 9 SERIES




CERTIFICATIONS



Legacy Housings

D4B-FD-R | Standard LED



Round Deep Non-Insulated

TAG TYPE

--	--	--	--	--	--

ORDER FORM

1	2	3	4	5	6

1. HOUSING

D4B-FD-R

2. FLANGE TYPE¹

T Trimmed

TL Trimless²

TLW-XX Trimless Wood Ceiling^{2,3,4}

3. SERIES¹

3 BRO 1000 Lumens Max

5 BRO 1800 Lumens Max

7 BRO 2300 Lumens Max

9 BRO 3000 Lumens Max

4. DIMMING

D DALI (1%)

LE Lutron Phase (1%)⁵

LH Lutron EcoSystem (1%)

P 0-10V Dimming (1%)

P1 eldoLED Dimming (1%)

S Phase Dimming (5%)⁵

5. VOLTAGE

120

277

347⁶

6. OPTIONS

BP Black Painted Interior

RCF Round Aperture Collar⁷

WP White Painted Interior

NOTES

1 Ensure trim compatibility prior to housing order. Conditions may apply.

2 TL & TLW-XX is not available in 9 series.

3 TLW-XX wood trimless flange type is matched to trim finish. XX refers to trim finish code and must be specified at time of order. See trim spec sheet for color availability.

4 TLW-XX wood trimless ceiling thickness to be specified at time of order. Requires consultation with lighthouse sales personnel.


5 LE and S dimming is only available in 120V.

6 347V dimming is only available in P dimming.


7 RCF option is not compatible with TLW-XX wood trimless ceiling.

DIMENSIONS


TRIMMED (3, 5 SERIES)




TRIMMED (7, 9 SERIES)



TRIMMED + APERTURE COLLAR (3, 5 SERIES)




TRIMMED + APERTURE COLLAR (7, 9 SERIES)




TRIMLESS (3, 5 SERIES)

(Consult factory for various ceiling thicknesses)




TRIMLESS (7 SERIES)

(Consult factory for various ceiling thicknesses)



WOOD TRIMLESS (3, 5 SERIES)



WOOD TRIMLESS (7 SERIES)

