

SAMPLE CASE CATALOG

September 2024

 **LIGHTHEADED**TM
Obsessed with Light

**SPECIFIER CASE
#LH-SC017**



1. SAMPLE CASE TAG

2. PRODUCT LITERATURE

3. DRIVER

Phase dimmable

4. MINIMALIST: 1X5 FIXED

White Flange, Silver Satin Reflector,
34° Beam, 3000K, 90 CRI, 1100lm

5. LED PIPE: 3\" SURFACE MOUNT

Ink Black Metallic Finish, Glimmer Gold
Reflector, 40° Beam, 3000K, 90 CRI, 1800lm

6. DIMMER

Phase dimmer

7. HEX TOOL

8. PURIST: SQUARE FIXED

White Flange, Matte Silver Reflector,
65° Beam, 3000K, 90 CRI, 700lm

9. PURIST: ROUND ADJUSTABLE

White Flange, White Reflector,
30° Beam, 3000K, 90 CRI, 700lm

10. PAINT SAMPLES

11. OPUS: ROUND ADJUSTABLE

Trim Only, Bronze Flange, White Reflector

12. OPUS: SQUARE PINHOLE

Trim Only, White Flange, Black Reflector

13. OPUS: SQUARE WALL WASH

White Flange, White Reflector,
Wall Wash Beam, 3000K, 80CRI, 3275lm

**1" MINNO™ SAMPLE CASE
#LH-SC019**



1



- 1. SAMPLE CASE TAG**
- 2. PRODUCT LITERATURE**
- 3. ROUND FIXED TRIM**
T1RF-T-01-WS-B30-30-8011
30° Beam, 3000K, 80CRI, 1000 Lumens
- 4. SQUARE FIXED TRIM**
T1SF-T-01-SS-B40-30-8011
40° Beam, 3000K, 80 CRI, 1000 Lumens
- 5. ROUND ADJUSTABLE TRIM**
T1RA-T-01-BA-B20-30-8011
20° Beam, 3000K, 80 CRI, 1000 Lumens

- 6. SQUARE ADJUSTABLE TRIM**
T1SA-T-01-BA-B50-30-8011
50° Beam, 3000K, 80 CRI, 1000 Lumens
- 7. PAINT SAMPLES**
Black, Bronze, Matte Nickel,
Matte Silver, White
- 8. DIMMER**
Phase Dimmable, 120V
- 9. DRIVER WITH POWER CORD**
DTM-350-1-A-S-120
(Part number does not include cord)
Phase Dimmable, 120V

**3" OPUS™ SAMPLE CASE
#LH-SC013**



- 1. SAMPLE CASE TAG**
- 2. PRODUCT LITERATURE**
- 3. ROUND ADJUSTABLE TRIMLESS**
Bronze Aperture
- 4. POWER CORD WITH DIMMER**
Phase Dimming, 120V
- 5. ROUND & SQUARE TRIMLESS MUD RINGS**
- 6. REMODEL DRIVER WITH CORD & PLUG**
Phase Dimming, 120V
- 7. ROUND ADJUSTABLE LUMINAIRE MOUNTED TO DISPLAY STAND**
White Flange, Media Holder with Softening Lens
- 8. ADJUSTING TOOL**

- 9. ROUND WALL WASH TRIM**
White Flange
- 10. PAINT SAMPLES**
Black, Bronze, Matte Nickel, Matte Silver, White
- 11. SQUARE PINHOLE TRIM**
White Flange, Black Aperture
- 12. SQUARE ADJUSTABLE TRIM**
White Flange
- 13. SQUARE FIXED TRIM**
White Flange, Matte Nickel Aperture, Softening Lens
- 14. ROUND FIXED TRIM**
White Flange, Matte Silver Aperture, Softening Lens

**3" OPUS™ ECO SAMPLE CASE
#LH-SC018**



1. SAMPLE CASE TAG

2. PRODUCT LITERATURE

**3. SQUARE FIXED LUMINAIRE MOUNTED TO
DISPLAY STAND WHITE SATIN**

Polycarbonate Single Piece Flange with
Softening Lens

**4. ROUND ADJUSTABLE LUMINAIRE MOUNTED
TO DISPLAY STAND WHITE SATIN**

Polycarbonate Single Piece Flange, Media
Holder with Softening Lens

5. ROUND ADJUSTABLE TRIM

White Powder Coated
Aluminum Single Piece Flange

6. SCREW DRIVER

For tilt and rotation locking

7. POWER CORD WITH DIMMER

Phase Dimming, 120V

8. REMODEL DRIVER WITH CORD & PLUG

Phase Dimming, 120V

**PURIST™ SAMPLE CASE
#LH-SC012**



1. SAMPLE CASE TAG

2. PRODUCT LITERATURE

3. ROUND WALL WASH TRIM

Wall Wash Beam, 3000K-1800K Warm Dim,
95 CRI, 1000 Lumens

4. ROUND FIXED TRIM

36° Beam, 3000K-1800K Warm Dim,
95 CRI, 1000 Lumens

5. PAINT SAMPLES

White, Black, Bronze,
Matte Nickel, Matte Silver

6. SQUARE FIXED TRIMLESS

36° Beam, 3000K-1800K Warm Dim,
95 CRI, 1000 Lumens

7. POWER CORD WITH DIMMER

CL Lamp Dimmer
Wall Plug (Type B) Power Cord

8. SQUARE WET LOCATION TRIM

55° Beam, 3000K-1800K Warm Dim,
95 CRI, 1000 Lumens

9. REMODEL DRIVER WITH CORD & PLUG

ELV Dimming 0-10V, 120V

**PURIST™ SAMPLE CASE
#LH-SC009**



- 1. SAMPLE CASE TAG**
- 2. PRODUCT LITERATURE**
- 3. SQUARE ADJUSTABLE TRIM**
50° Beam, 3000K,
80 CRI, 1500 Lumens
- 4. ROUND ADJUSTABLE TRIM**
50° Beam, 3000K,
80 CRI, 1500 Lumens

- 5. SQUARE FIXED TRIM**
50° Beam, 3000K,
80 CRI, 1500 Lumens
- 6. ROUND FIXED TRIM**
50° Beam, 3000K,
80 CRI, 1000 Lumens
- 7. PAINT SAMPLES**
- 8. DRIVER + TRIM CONNECTOR CORD**
ELV Dimming (100%-10%), 120V,
Wall Plug (Type B) Power Cord

**MINIMALIST™ SAMPLE CASE
#LH-SC010**



- 1. SAMPLE CASE TAG**
- 2. PRODUCT LITERATURE**
- 3. PAINT SAMPLES**
Black, Bronze, Matte Nickel,
Matte Silver, White
- 4. REMODEL DRIVER WITH CORD & PLUG**
Phase Dimming, 120V
- 5. POWER CORD WITH DIMMER**
CL Lamp Dimmer
Wall Plug (Type B) Power Cord
- 6. 1X5 ADJUSTABLE MINIMALIST TRIM**
12° Beam, 4000K, 90 CRI,
900 Lumens (180lm per lamp)
- 7. 1X5 WALL WASH MINIMALIST TRIM**
Wall Wash Beam, 3000K, 90 CRI,
900 Lumens (180lm per lamp)
- 8. 1X5 FIXED MINIMALIST TRIM**
34° Beam, 2700K, 90 CRI,
900 Lumens (180lm per lamp)
- 9. 1X5 FIXED WET LOCATION MINIMALIST TRIM**
34° Beam, 3000K, 90 CRI,
900 Lumens (180lm per lamp)

**MINIMALIST™ SAMPLE CASE
#LH-SC004**



- 1. SAMPLE CASE TAG**
- 2. PRODUCT LITERATURE**
- 3. GOLD SATIN REFLECTOR**
- 4. SILVER SATIN REFLECTOR**
- 5. PAINT SAMPLES**
Black, Bronze, Matte Nickel,
Matte Silver, White

- 6. 1X5 FIXED MINIMALIST TRIM**
White Flange, Black Specular Reflector,
34° Beam, 3000K, 90 CRI,
875 Lumens (175lm per lamp)
- 7. DRIVER + TRIM CONNECTOR CORD**
0-10V Phase Dimming, 120V
Wall Plug (Type B) Power Cord

**LED PIPE™ SAMPLE CASE
#LH-SC014**



1. SAMPLE CASE TAG

2. POWER CORD WITH DIMMER

CL Lamp Dimmer
Wall Plug (Type B) Power Cord

3. LITERATURE

4. CORD COLOR SAMPLES

Clear Metallic Braid, Fabric Black, Fabric Gold,
Fabric Grey, Fabric Red, Fabric White

5. 5" SURFACE CONDUIT MOUNT CYLINDER

6" in Height, Ink Black Metallic Finish, Slate
Grey Metallic Reflector, with Conduit Mount
Canopy. Standard Module, 38° Beam

6. PAINT SAMPLES

Nano White, Anthracite Metallic, Ink Black
Metallic, Slate Grey Metallic, Espresso
Metallic, Terra Metallic, Glimmer Gold

7. 3" PENDANT CYLINDER

6" Height, Espresso Metallic Finish, Glimmer
Gold Reflector, Fabric Black Cord, Standard
Module, 40° Beam

8. 1" CYLINDER

6" in Height, Glimmer Gold Finish, Glimmer
Gold Reflector, Clear Metallic Braid Standard
Module, 12° beam

**LED PIPE™ SAMPLE CASE
#LH-SC008**



1. SAMPLE CASE TAG

2. PRODUCT LITERATURE

3. CORD COLOR SAMPLES

Clear Metallic Braid, Fabric Black, Fabric Gold, Fabric Grey, Fabric Red, Fabric White

4. 3" PENDANT CYLINDER

6" Height, Moroccan Metallic Finish, Glimmer Gold Reflector, Fabric Black Cord, Standard Module, 40° Beam, 3000K, 90 CRI, 1000 Lumens

5. 3" WALL CYLINDER

6" Height, Ink Black Metallic Finish, Glimmer Gold Reflector, Standard Module, 40° Beam, 3000K, 90 CRI, 1000 Lumens

6. PAINT SAMPLES

Nano White, Anthracite Metallic, Ink Black Metallic, Slate Grey Metallic, Moroccan Metallic, Chocolate Metallic, Sienna Metallic, Glimmer Gold

7. 3" SURFACE CYLINDER

6" Height, Nano White Finish, Nano White Metallic Reflector, Standard Module, 40° Beam, 3000K, 90 CRI, 1000 Lumens, Wall Plug Type B

**GUARDIAN™ SAMPLE CASE
#LH-SC015**



- 1. SAMPLE CASE TAG**
- 2. PRODUCT LITERATURE**
- 3. GUARDIAN LUMINAIRE**

Square Fixed Downlight, Inner Softening Lens, Outer 3/16" Clear Polycarbonate Lens, White Flange, BIOS Dynamic Spectrum Health LED Module, 30° Beam, 3500K, 83 CRI, 1800 Lumens, 120V, Wall Plug Power Cord with Dimmer

**GUARDIAN™ SAMPLE CASE
#LH-SC003**



- 1. SAMPLE CASE TAG**
- 2. PRODUCT LITERATURE**
- 3. GUARDIAN LUMINAIRE**

Solite Softening Lens, 3/16" Clear Polycarbonate Lens, White Flange, Bridgelux Module, 60° Beam, 3500K, 80 CRI, 1400 Lumens, 120V, Wall Plug (Type B) Power Cord

**CAMBER + TAPER SAMPLE CASE
#LH-SC002**



1. SAMPLE CASE TAG

2. PRODUCT LITERATURE

3. LENSED TAPER TRIM

Solite Softening Lens, White Flange,
Satin Silver Reflector, Bridgelux Module,
40° Beam, 3000K, 80 CRI, 1000 Lumens

4. LENSED CAMBER TRIM

Solite Softening Lens, White Flange,
Satin Silver Reflector, Bridgelux Module,
40° Beam, 3000K, 80 CRI, 1000 Lumens

5. DRIVER + TRIM CONNECTOR CORD

0-10V Phase Dimming (100%-10%), 120V,
Wall Plug (Type B) Power Cord

6. PAINT SAMPLES

Black, Bronze, Matte Nickel,
Matte Silver, White

AURORA + MIRO SAMPLE CASE
#LH-SC001



1. SAMPLE CASE TAG

2. PRODUCT LITERATURE

3. AURORA TRIM

White Flange, Satin Silver Reflector,
 Bridgelux Module, 40° Beam, 3000K,
 80 CRI, 1000 Lumens

4. MIRO TRIM

White Flange, Satin Silver Reflector,
 Bridgelux Module, 40° Beam, 3000K,
 80 CRI, 1000 Lumens

5. DRIVER + TRIM CONNECTOR CORD

0-10V Phase Dimming (100%-10%), 120V,
 Wall Plug (Type B) Power Cord

6. PAINT SAMPLES

Black, Bronze, Matte Nickel,
 Matte Silver, White

**PUCK LIGHTS SAMPLE CASE
#LH-SC007**



- 1. SAMPLE CASE TAG**
- 2. BLACK PUCK LIGHT**
Recessed Mount, 190 Lumens
- 3. WHITE PUCK LIGHT**
Recessed Mount, 190 Lumens
- 4. NICKEL PLATED PUCK LIGHT**
Recessed Mount, 190 Lumens

- 5. DRIVER + TRIM CONNECTOR CORD**
20W Constant Voltage, 120V,
Wall Plug (Type A) Power Cord
- 6. DIMMER BOX**
Wall Plug (Type B) Power Cord

**WARM DIMMING SAMPLE CASE
#LH-SC005**



1. SAMPLE CASE TAG

2. PRODUCT LITERATURE

3. LENSED CAMBER TRIM (SQUARE)

Solite Softening Lens, White Flange,
White Reflector, Bridgelux Module, 40° Beam,
3000K-1800K, 95 CRI, 1000 Lumens

4. DIMMER BOX

Wall Plug (Type B) Power Cord

5. DRIVER + TRIM CONNECTOR CORD

0-10V Phase Dvimming (100%-1%), 120V

6. PAINT SAMPLES

Black, Bronze, Matte Nickel,
Matte Silver, White