



\* Image shown:  
Trimmed Fixed Round (T2RF-T)  
Trimmed Fixed Square (T2SF-T)



Fixed

Adjustable

Pinhole

Wall Wash



1x2 Multiples



1x3 Multiples

\* All single lamp fixtures available as Trimless & Wood Trimless

Wet location available

# Purist™

PURE BRILLIANCE.



[lightheadedlighting.com/purist](http://lightheadedlighting.com/purist)  
P. 604.464.5644 T. 1.800.464.9544  
E. [info@lightheadedlighting.com](mailto:info@lightheadedlighting.com)

**LIGHTHEADED™**

Obsessed with Light

Purist packs a lot  
into 2 inches.



\* Actual Size

*Purist*™  
by LIGHTHEADED

# Pure Color.

All Purist™ trims are powder coated in-house to ensure a perfect, consistent finish for the life of the fixture.



Black



White



Matte Silver



Matte Nickel



Bronze




Custom Colors  
Available



# Pure Artistry.

Our 2-inch Purist™ combines state-of-the-art performance and impressive features in a timeless design that manages to be both discreet and eye-catching.



\* Image shown: Wood Trimless Round Fixed (T2RF-TLW)



Wet Location  
Available



25°  
Tilt



Powder Coated  
Aluminum Body



2" Aperture  
(1.25" Pinhole)



Quick  
Connectors

# Pure Brilliance.

The 2" aperture Purist™ recessed downlight delivers up to 1500 lumens and can be adjusted to 25 degrees of tilt. With a light quality as high as 95 CRI and beam spreads that range from 25-65 degrees, the Purist is a brilliant choice for any corporate, retail or residential application.



\* Image shown: Round Fixed (T2RF-T) + Remodel Driver (DRC-T2)



700-1500 Lumens  
Single Lamp



1400-4500 Lumens  
Multiples



3000K-1800K  
Warm Dimming



2700K, 3000K,  
3500K, 4000K



25°-65°  
Beam Spread



80, 90, 95  
CRI




< 3 SDCM  
Color Accuracy



50,000 Hour  
L70 Estimate


# Pure Genius.

The ingenious design and versatility of the Purist™ allows for easy install of any trim & driver into the compact housing through the 2 5/8" trim opening.



\* Image shown: Round Adjustable (T2RA-T) + Remodel Driver (DRC-T2) + Insulated Housing (R2P-IC3A)

Warm Dimming MR16 Halogen



Dimming	
Lutron EcoSystem	100-1%
0-10V	100-10%
Phase	100-10%




# Pure and Simple.

Pure Lighting in 4 accommodating formats.  
Select your Lumen Output needs, your housing  
requirements, your dimming preference & your choice of  
trim style. Energize & Enjoy!

Insulated Airtight  
(R2P-IC4A)  
1000-1500 lm  
0-10V Dimming  
Phase Dimming  
Lutron EcoSystem

Insulated Airtight  
(R2P-IC3A)  
700-1100 lm  
0-10V Dimming  
Phase Dimming

Remodel Pan  
(R2P-F)  
Remodel Driver  
(DRC-T2)  
700-1500 lm  
0-10V Dimming  
Phase Dimming  
Lutron EcoSystem



5 Year  
Warranty



Made in  
Canada